



**FEHILY
TIMONEY**

CONSULTANTS IN ENGINEERING,
ENVIRONMENTAL SCIENCE
& PLANNING

APPENDIX 7.5

Predicted Noise Levels From
Ballinagree Wind Farm at
Nearby Sensitive Locations




Table 7.5.1 presents the predicted noise levels (L_{A90}) from wind turbines for the proposed Ballinagree Wind Farm at noise sensitive locations for Standardised 10m height wind speeds of 3 m/s to 9 m/s. The numbering is not sequential as only the noise sensitive locations within the 35 dB L_{A90} noise contour are presented. Commercial receptors, derelict and uninhabited dwellings were not considered.

Table 7.5.1: Predicted noise levels (L_{A90}) from Ballinagree Wind Farm at Noise Sensitive Locations for Standardised 10m Wind Speeds of 2 m/s to 8 m/s

| Receptor ID | Description | Predicted Noise Level (dB L_{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|--|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R45 | Residential | 25.7 | 27.9 | 31.3 | 36.1 | 38.3 | 39.2 | 39.4 |
| R48 | Residential | 20.5 | 22.7 | 25.9 | 30.7 | 32.9 | 33.8 | 34.0 |
| R49 | Residential and Commercial | 26.0 | 28.2 | 31.6 | 36.4 | 38.6 | 39.5 | 39.7 |
| R61 | Residential | 20.4 | 22.6 | 25.8 | 30.6 | 32.8 | 33.7 | 33.9 |
| R65 | Residential and Commercial | 7.9 | 10.9 | 13.0 | 17.8 | 20.0 | 21.2 | 21.3 |
| R66 | Residential | 9.0 | 11.9 | 14.1 | 18.9 | 21.1 | 22.2 | 22.4 |
| R90 | Residential | 12.7 | 15.3 | 17.9 | 22.7 | 24.9 | 25.9 | 26.1 |
| R95 | Residential and Commercial | 15.1 | 17.6 | 20.4 | 25.2 | 27.4 | 28.3 | 28.5 |
| R96 | Residential | 15.3 | 17.8 | 20.5 | 25.3 | 27.5 | 28.5 | 28.7 |
| R97 | Residential | 14.8 | 17.3 | 20.0 | 24.8 | 27.0 | 28.0 | 28.2 |
| R120 | Residential | 13.8 | 16.4 | 19.1 | 23.9 | 26.1 | 27.0 | 27.2 |
| R122 | Residential and Commercial | 15.2 | 17.7 | 20.4 | 25.2 | 27.4 | 28.4 | 28.6 |
| R144 | Residential | 20.1 | 22.4 | 25.5 | 30.3 | 32.5 | 33.4 | 33.6 |
| R145 | Residential | 20.0 | 22.2 | 25.3 | 30.1 | 32.3 | 33.3 | 33.5 |
| R146 | Residential | 20.9 | 23.1 | 26.3 | 31.1 | 33.3 | 34.2 | 34.4 |
| R147 | Residential | 24.0 | 26.2 | 29.5 | 34.3 | 36.5 | 37.4 | 37.6 |
| R148 | Residential | 21.9 | 24.2 | 27.3 | 32.1 | 34.3 | 35.3 | 35.5 |
| R149 | Residential | 25.3 | 27.5 | 30.9 | 35.7 | 37.9 | 38.8 | 39.0 |
| R150 | Residential | 25.1 | 27.3 | 30.6 | 35.4 | 37.6 | 38.6 | 38.7 |
| R151 | Residential | 22.2 | 24.5 | 27.6 | 32.4 | 34.6 | 35.6 | 35.8 |
| R176 | Residential | 21.7 | 24.0 | 27.1 | 31.9 | 34.1 | 35.1 | 35.3 |
| R180 | Residential | 13.4 | 15.9 | 18.5 | 23.3 | 25.5 | 26.5 | 26.7 |
| R197 | Residential | 22.5 | 24.7 | 27.9 | 32.7 | 34.9 | 35.8 | 36.0 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R274 | Residential and Commercial | 6.7 | 9.8 | 11.8 | 16.6 | 18.8 | 20.0 | 20.2 |
| R287 | Residential | 7.9 | 10.9 | 13.0 | 17.8 | 20.0 | 21.2 | 21.3 |
| R288 | Residential and Commercial | 7.8 | 10.8 | 12.9 | 17.7 | 19.9 | 21.1 | 21.3 |
| R288 | Residential and Commercial | 7.9 | 10.9 | 13.0 | 17.8 | 20.0 | 21.2 | 21.4 |
| R312 | Residential | 7.7 | 10.8 | 12.8 | 17.6 | 19.8 | 21.0 | 21.2 |
| R369 | Residential and Commercial | 25.8 | 28.0 | 31.4 | 36.2 | 38.4 | 39.3 | 39.5 |
| R370 | Residential | 25.2 | 27.4 | 30.8 | 35.6 | 37.8 | 38.7 | 38.9 |
| R371 | Residential and Commercial | 24.0 | 26.2 | 29.5 | 34.3 | 36.5 | 37.5 | 37.7 |
| R383 | Residential | 20.0 | 22.3 | 25.4 | 30.2 | 32.4 | 33.3 | 33.5 |
| R386 | Residential | 17.9 | 20.2 | 23.2 | 28.0 | 30.2 | 31.2 | 31.4 |
| R402 | Residential and Commercial | 21.5 | 23.7 | 26.9 | 31.7 | 33.9 | 34.8 | 35.0 |
| R403 | Residential | 21.8 | 24.1 | 27.2 | 32.0 | 34.2 | 35.2 | 35.4 |
| R404 | Residential and Commercial | 25.5 | 27.8 | 31.1 | 35.9 | 38.1 | 39.0 | 39.2 |
| R405 | Residential | 25.9 | 28.1 | 31.4 | 36.2 | 38.4 | 39.4 | 39.5 |
| R408 | Residential and Commercial | 22.0 | 24.2 | 27.4 | 32.2 | 34.4 | 35.4 | 35.5 |
| R429 | Residential | 13.9 | 16.4 | 19.1 | 23.9 | 26.1 | 27.1 | 27.3 |
| R430 | Residential | 14.1 | 16.7 | 19.3 | 24.1 | 26.3 | 27.3 | 27.5 |
| R431 | Residential | 12.8 | 15.4 | 18.0 | 22.8 | 25.0 | 26.0 | 26.2 |
| R432 | Residential and Commercial | 12.6 | 15.2 | 17.8 | 22.6 | 24.8 | 25.8 | 26.0 |
| R433 | Residential | 15.2 | 17.7 | 20.4 | 25.2 | 27.4 | 28.4 | 28.6 |
| R436 | Residential | 15.3 | 17.8 | 20.6 | 25.4 | 27.6 | 28.6 | 28.7 |
| R437 | Residential | 13.2 | 15.8 | 18.4 | 23.2 | 25.4 | 26.4 | 26.6 |
| R480 | Residential and Commercial | 8.0 | 11.0 | 13.1 | 17.9 | 20.1 | 21.3 | 21.5 |
| R481 | Residential | 7.6 | 10.7 | 12.7 | 17.5 | 19.7 | 20.9 | 21.1 |
| R482 | Residential | 16.2 | 18.6 | 21.5 | 26.3 | 28.5 | 29.5 | 29.7 |
| R496 | Residential | 10.9 | 13.9 | 16.1 | 20.9 | 23.1 | 24.2 | 24.4 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R510 | Residential and Commercial | 20.9 | 23.1 | 26.2 | 31.0 | 33.2 | 34.2 | 34.3 |
| R511 | Residential | 22.0 | 24.3 | 27.3 | 32.1 | 34.3 | 35.2 | 35.4 |
| R513 | Residential and Commercial | 15.1 | 17.5 | 20.4 | 25.2 | 27.4 | 28.4 | 28.6 |
| R519 | Residential | 19.0 | 21.4 | 24.4 | 29.2 | 31.4 | 32.4 | 32.6 |
| R520 | Residential | 19.1 | 21.4 | 24.4 | 29.2 | 31.4 | 32.4 | 32.6 |
| R521 | Residential | 19.0 | 21.3 | 24.3 | 29.1 | 31.3 | 32.3 | 32.4 |
| R522 | Residential and Commercial | 18.5 | 20.9 | 23.8 | 28.6 | 30.8 | 31.8 | 31.9 |
| R535 | Residential | 14.0 | 16.7 | 19.2 | 24.0 | 26.2 | 27.2 | 27.4 |
| R536 | Residential | 13.8 | 16.5 | 19.0 | 23.8 | 26.0 | 27.0 | 27.2 |
| R537 | Residential and Commercial | 18.6 | 21.0 | 23.9 | 28.7 | 30.9 | 31.9 | 32.0 |
| R568 | Residential and Commercial | 17.8 | 20.2 | 23.1 | 27.9 | 30.1 | 31.1 | 31.3 |
| R569 | Residential and Commercial | 17.8 | 20.2 | 23.1 | 27.9 | 30.1 | 31.1 | 31.3 |
| R570 | Residential and Commercial | 18.6 | 20.9 | 23.9 | 28.7 | 30.9 | 31.9 | 32.1 |
| R571 | Residential | 22.6 | 24.9 | 28.1 | 32.9 | 35.1 | 36.0 | 36.2 |
| R572 | Residential | 23.9 | 26.1 | 29.4 | 34.2 | 36.4 | 37.3 | 37.5 |
| R573 | Residential | 23.2 | 25.4 | 28.6 | 33.4 | 35.6 | 36.6 | 36.8 |
| R584 | Residential | 10.8 | 13.7 | 15.9 | 20.7 | 22.9 | 24.1 | 24.3 |
| R592 | Residential and Commercial | 19.7 | 22.0 | 25.0 | 29.8 | 32.0 | 32.9 | 33.1 |
| R593 | Residential and Commercial | 19.3 | 21.7 | 24.6 | 29.4 | 31.6 | 32.5 | 32.7 |
| R594 | Residential | 18.9 | 21.3 | 24.2 | 29.0 | 31.2 | 32.1 | 32.3 |
| R595 | Residential | 16.0 | 18.5 | 21.2 | 26.0 | 28.2 | 29.1 | 29.3 |
| R596 | Residential | 15.1 | 17.7 | 20.2 | 25.0 | 27.2 | 28.3 | 28.4 |
| R597 | Residential | 7.2 | 10.2 | 12.3 | 17.1 | 19.3 | 20.5 | 20.7 |
| R598 | Residential | 11.0 | 13.6 | 16.2 | 21.0 | 23.2 | 24.2 | 24.4 |
| R599 | Residential | 11.7 | 14.3 | 16.9 | 21.7 | 23.9 | 24.9 | 25.1 |
| R600 | Residential | 13.9 | 16.4 | 19.1 | 23.9 | 26.1 | 27.1 | 27.3 |
| R608 | Residential and Commercial | 8.1 | 11.2 | 13.2 | 18.0 | 20.2 | 21.5 | 21.7 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R616 | Residential | 16.2 | 18.6 | 21.5 | 26.3 | 28.5 | 29.5 | 29.7 |
| R621 | Residential | 11.6 | 14.5 | 16.8 | 21.6 | 23.8 | 24.9 | 25.1 |
| R622 | Residential | 11.6 | 14.5 | 16.8 | 21.6 | 23.8 | 24.9 | 25.1 |
| R623 | Residential | 11.5 | 14.3 | 16.6 | 21.4 | 23.6 | 24.7 | 24.9 |
| R629 | Residential | 17.4 | 19.9 | 22.6 | 27.4 | 29.6 | 30.6 | 30.8 |
| R639 | Residential | 17.7 | 20.1 | 22.9 | 27.7 | 29.9 | 30.9 | 31.1 |
| R640 | Residential | 18.6 | 21.0 | 23.9 | 28.7 | 30.9 | 31.8 | 32.0 |
| R659 | Residential | 18.2 | 20.6 | 23.4 | 28.2 | 30.4 | 31.4 | 31.6 |
| R662 | Residential | 16.1 | 18.7 | 21.3 | 26.1 | 28.3 | 29.3 | 29.5 |
| R666 | Residential | 14.9 | 17.5 | 20.1 | 24.9 | 27.1 | 28.1 | 28.3 |
| R669 | Residential | 16.8 | 19.4 | 22.0 | 26.8 | 29.0 | 30.0 | 30.2 |
| R670 | Residential | 16.3 | 18.9 | 21.5 | 26.3 | 28.5 | 29.5 | 29.7 |
| R671 | Residential | 14.2 | 16.9 | 19.4 | 24.2 | 26.4 | 27.4 | 27.6 |
| R672 | Residential | 12.8 | 15.6 | 18.0 | 22.8 | 25.0 | 26.0 | 26.2 |
| R690 | Residential | 9.1 | 12.0 | 14.2 | 19.0 | 21.2 | 22.4 | 22.6 |
| R691 | Residential | 11.5 | 14.2 | 16.7 | 21.5 | 23.7 | 24.7 | 24.9 |
| R692 | Residential | 8.2 | 11.3 | 13.3 | 18.1 | 20.3 | 21.6 | 21.8 |
| R693 | Residential | 7.3 | 10.4 | 12.4 | 17.2 | 19.4 | 20.7 | 20.8 |
| R695 | Residential and Commercial | 18.6 | 20.9 | 23.9 | 28.7 | 30.9 | 31.9 | 32.0 |
| R696 | Residential | 19.6 | 21.9 | 24.9 | 29.7 | 31.9 | 32.9 | 33.1 |
| R697 | Residential | 19.6 | 21.9 | 24.9 | 29.7 | 31.9 | 32.9 | 33.1 |
| R698 | Residential | 19.6 | 21.9 | 24.9 | 29.7 | 31.9 | 32.9 | 33.1 |
| R699 | Residential | 19.6 | 21.9 | 24.9 | 29.7 | 31.9 | 32.9 | 33.0 |
| R700 | Residential | 19.5 | 21.8 | 24.8 | 29.6 | 31.8 | 32.8 | 33.0 |
| R701 | Residential | 19.5 | 21.8 | 24.8 | 29.6 | 31.8 | 32.8 | 32.9 |
| R702 | Residential | 19.6 | 21.9 | 25.0 | 29.8 | 32.0 | 32.9 | 33.1 |
| R703 | Residential | 19.6 | 21.9 | 25.0 | 29.8 | 32.0 | 32.9 | 33.1 |
| R704 | Residential | 19.6 | 22.0 | 25.0 | 29.8 | 32.0 | 33.0 | 33.1 |
| R705 | Residential | 19.7 | 22.0 | 25.1 | 29.9 | 32.1 | 33.0 | 33.2 |
| R706 | Residential | 19.3 | 21.7 | 24.7 | 29.5 | 31.7 | 32.6 | 32.8 |
| R707 | Residential | 19.3 | 21.6 | 24.7 | 29.5 | 31.7 | 32.6 | 32.8 |
| R708 | Residential | 17.9 | 20.3 | 23.3 | 28.0 | 30.2 | 31.2 | 31.4 |
| R709 | Residential | 21.9 | 24.2 | 27.4 | 32.2 | 34.4 | 35.3 | 35.5 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R710 | Residential | 22.8 | 25.1 | 28.3 | 33.1 | 35.3 | 36.3 | 36.5 |
| R711 | Residential | 24.4 | 26.7 | 30.0 | 34.8 | 37.0 | 37.9 | 38.1 |
| R712 | Residential | 22.6 | 24.9 | 28.0 | 32.8 | 35.0 | 36.0 | 36.2 |
| R713 | Residential | 23.0 | 25.2 | 28.4 | 33.2 | 35.4 | 36.4 | 36.5 |
| R714 | Residential | 20.5 | 22.8 | 25.8 | 30.6 | 32.8 | 33.8 | 34.0 |
| R715 | Residential | 19.6 | 21.9 | 24.9 | 29.7 | 31.9 | 32.8 | 33.0 |
| R716 | Residential and Commercial | 19.9 | 22.2 | 25.2 | 30.0 | 32.2 | 33.1 | 33.3 |
| R717 | Residential | 20.1 | 22.4 | 25.3 | 30.1 | 32.3 | 33.3 | 33.5 |
| R718 | Residential | 20.2 | 22.5 | 25.5 | 30.3 | 32.5 | 33.4 | 33.6 |
| R719 | Residential | 20.0 | 22.3 | 25.3 | 30.1 | 32.3 | 33.2 | 33.4 |
| R720 | Residential | 20.4 | 22.7 | 25.7 | 30.5 | 32.7 | 33.6 | 33.8 |
| R721 | Residential | 27.4 | 29.7 | 33.0 | 37.8 | 40.0 | 41.0 | 41.1 |
| R721 | Residential | 27.5 | 29.7 | 33.0 | 37.8 | 40.0 | 41.0 | 41.2 |
| R722 | Residential | 14.8 | 17.4 | 20.0 | 24.8 | 27.0 | 28.0 | 28.2 |
| R728 | Residential | 7.4 | 10.5 | 12.5 | 17.3 | 19.5 | 20.8 | 20.9 |
| R729 | Residential | 11.2 | 13.8 | 16.4 | 21.2 | 23.4 | 24.4 | 24.6 |
| R733 | Residential | 19.4 | 21.7 | 24.7 | 29.5 | 31.7 | 32.7 | 32.9 |
| R734 | Residential | 19.6 | 21.8 | 24.9 | 29.7 | 31.9 | 32.9 | 33.1 |
| R735 | Residential | 20.0 | 22.2 | 25.3 | 30.1 | 32.3 | 33.3 | 33.5 |
| R736 | Residential | 20.1 | 22.4 | 25.5 | 30.3 | 32.5 | 33.5 | 33.7 |
| R737 | Residential | 20.2 | 22.5 | 25.6 | 30.4 | 32.6 | 33.6 | 33.7 |
| R738 | Residential | 20.0 | 22.3 | 25.4 | 30.2 | 32.4 | 33.4 | 33.6 |
| R739 | Residential | 20.3 | 22.6 | 25.6 | 30.4 | 32.6 | 33.5 | 33.7 |
| R740 | Residential | 21.6 | 24.0 | 27.0 | 31.8 | 34.0 | 34.9 | 35.1 |
| R741 | Residential | 23.2 | 25.5 | 28.6 | 33.4 | 35.6 | 36.6 | 36.8 |
| R742 | Residential | 23.5 | 25.7 | 28.9 | 33.7 | 35.9 | 36.8 | 37.0 |
| R743 | Residential | 15.2 | 17.8 | 20.4 | 25.2 | 27.4 | 28.4 | 28.6 |
| R744 | Residential | 15.7 | 18.3 | 21.0 | 25.8 | 28.0 | 29.0 | 29.2 |
| R745 | Residential | 27.6 | 29.8 | 33.2 | 38.0 | 40.2 | 41.2 | 41.3 |
| R745 | Residential | 27.8 | 30.0 | 33.4 | 38.2 | 40.4 | 41.3 | 41.5 |
| R746 | Residential | 15.6 | 18.1 | 20.8 | 25.6 | 27.8 | 28.8 | 29.0 |
| R748 | Residential | 13.7 | 16.3 | 18.8 | 23.6 | 25.8 | 26.9 | 27.1 |
| R749 | Residential | 16.3 | 18.8 | 21.6 | 26.4 | 28.6 | 29.6 | 29.7 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R751 | Residential | 11.7 | 14.3 | 16.9 | 21.7 | 23.9 | 24.9 | 25.1 |
| R752 | Residential | 13.9 | 16.6 | 19.1 | 23.9 | 26.1 | 27.1 | 27.3 |
| R755 | Residential | 13.7 | 16.4 | 18.9 | 23.7 | 25.9 | 27.0 | 27.1 |
| R761 | Residential | 22.9 | 25.1 | 28.3 | 33.1 | 35.3 | 36.2 | 36.4 |
| R762 | Residential | 22.3 | 24.6 | 27.6 | 32.4 | 34.6 | 35.6 | 35.8 |
| R766 | Residential and Commercial | 9.0 | 11.9 | 14.2 | 19.0 | 21.2 | 22.3 | 22.5 |
| R771 | Residential and Commercial | 7.4 | 10.4 | 12.5 | 17.3 | 19.5 | 20.7 | 20.9 |
| R775 | Residential | 19.3 | 21.7 | 24.7 | 29.5 | 31.7 | 32.6 | 32.8 |
| R776 | Residential | 19.3 | 21.6 | 24.7 | 29.5 | 31.7 | 32.6 | 32.8 |
| R777 | Residential | 23.5 | 25.7 | 28.9 | 33.7 | 35.9 | 36.9 | 37.1 |
| R778 | Residential | 6.8 | 9.9 | 11.9 | 16.7 | 18.9 | 20.1 | 20.3 |
| R782 | Residential | 10.9 | 13.9 | 16.0 | 20.9 | 23.1 | 24.2 | 24.4 |
| R801 | Residential and Commercial | 15.0 | 17.7 | 20.2 | 25.0 | 27.2 | 28.2 | 28.4 |
| R802 | Residential | 15.1 | 17.7 | 20.3 | 25.1 | 27.3 | 28.3 | 28.5 |
| R803 | Residential and Commercial | 15.0 | 17.7 | 20.2 | 25.0 | 27.2 | 28.2 | 28.4 |
| R806 | Residential | 17.6 | 20.1 | 22.9 | 27.7 | 29.9 | 30.8 | 31.0 |
| R807 | Residential | 18.5 | 20.9 | 23.7 | 28.5 | 30.7 | 31.7 | 31.9 |
| R808 | Residential | 19.3 | 21.7 | 24.6 | 29.4 | 31.6 | 32.6 | 32.8 |
| R813 | Residential | 8.5 | 11.5 | 13.6 | 18.4 | 20.6 | 21.8 | 22.0 |
| R814 | Residential | 13.0 | 15.5 | 18.2 | 23.0 | 25.2 | 26.2 | 26.4 |
| R815 | Residential | 8.4 | 11.5 | 13.5 | 18.3 | 20.5 | 21.7 | 21.9 |
| R820 | Residential and Commercial | 24.3 | 26.5 | 29.8 | 34.6 | 36.8 | 37.7 | 37.9 |
| R821 | Residential | 14.8 | 17.4 | 20.0 | 24.8 | 27.0 | 28.0 | 28.2 |
| R822 | Residential | 14.4 | 17.0 | 19.6 | 24.4 | 26.6 | 27.6 | 27.8 |
| R823 | Residential | 19.9 | 22.2 | 25.2 | 30.0 | 32.2 | 33.2 | 33.4 |
| R824 | Residential | 19.9 | 22.2 | 25.3 | 30.1 | 32.3 | 33.3 | 33.4 |
| R826 | Residential | 18.5 | 20.8 | 23.8 | 28.6 | 30.8 | 31.8 | 31.9 |
| R827 | Residential | 25.8 | 28.0 | 31.4 | 36.2 | 38.4 | 39.3 | 39.5 |
| R828 | Residential | 20.4 | 22.7 | 25.6 | 30.4 | 32.6 | 33.6 | 33.8 |
| R829 | Residential | 18.0 | 20.4 | 23.2 | 28.0 | 30.2 | 31.2 | 31.4 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R830 | Residential | 18.5 | 20.9 | 23.7 | 28.5 | 30.7 | 31.7 | 31.9 |
| R831 | Residential | 7.7 | 10.8 | 12.8 | 17.6 | 19.8 | 21.1 | 21.2 |
| R832 | Residential | 13.2 | 15.9 | 18.3 | 23.1 | 25.3 | 26.4 | 26.6 |
| R839 | Residential and Commercial | 14.1 | 16.8 | 19.3 | 24.1 | 26.3 | 27.3 | 27.5 |
| R842 | Residential | 14.5 | 17.2 | 19.6 | 24.4 | 26.6 | 27.7 | 27.9 |
| R843 | Residential | 15.8 | 18.4 | 21.0 | 25.8 | 28.0 | 29.0 | 29.2 |
| R844 | Residential and Commercial | 14.1 | 16.8 | 19.3 | 24.1 | 26.3 | 27.3 | 27.5 |
| R845 | Residential and Commercial | 14.2 | 16.9 | 19.3 | 24.1 | 26.3 | 27.4 | 27.6 |
| R846 | Residential and Commercial | 14.1 | 16.8 | 19.3 | 24.1 | 26.3 | 27.3 | 27.5 |
| R847 | Residential and Commercial | 14.1 | 16.8 | 19.3 | 24.1 | 26.3 | 27.3 | 27.5 |
| R849 | Residential | 16.6 | 19.1 | 21.8 | 26.6 | 28.8 | 29.7 | 29.9 |
| R850 | Residential and Commercial | 16.3 | 18.9 | 21.5 | 26.3 | 28.5 | 29.5 | 29.7 |
| R853 | Residential and Commercial | 13.0 | 15.7 | 18.2 | 23.0 | 25.2 | 26.2 | 26.4 |
| R854 | Residential | 18.6 | 21.0 | 23.8 | 28.6 | 30.8 | 31.8 | 32.0 |
| R855 | Residential | 18.1 | 20.5 | 23.3 | 28.1 | 30.3 | 31.3 | 31.5 |
| R856 | Residential | 18.5 | 21.0 | 23.8 | 28.6 | 30.8 | 31.7 | 31.9 |
| R935 | Residential | 11.7 | 14.3 | 16.9 | 21.7 | 23.9 | 24.9 | 25.1 |
| R936 | Residential | 12.7 | 15.2 | 17.9 | 22.7 | 24.9 | 25.9 | 26.1 |
| R937 | Residential | 11.4 | 14.0 | 16.6 | 21.4 | 23.6 | 24.6 | 24.8 |
| R938 | Residential and Commercial | 10.7 | 13.4 | 15.8 | 20.6 | 22.8 | 23.9 | 24.1 |
| R939 | Residential | 9.9 | 12.7 | 15.1 | 19.9 | 22.1 | 23.2 | 23.4 |
| R940 | Residential and Commercial | 9.6 | 12.4 | 14.8 | 19.6 | 21.8 | 22.9 | 23.1 |
| R941 | Residential and Commercial | 10.3 | 13.1 | 15.4 | 20.2 | 22.4 | 23.5 | 23.7 |
| R942 | Residential | 11.8 | 14.4 | 16.9 | 21.7 | 23.9 | 25.0 | 25.2 |
| R943 | Residential and Commercial | 11.5 | 14.2 | 16.7 | 21.5 | 23.7 | 24.8 | 25.0 |
| R944 | Residential | 10.2 | 13.0 | 15.3 | 20.1 | 22.3 | 23.4 | 23.6 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R945 | Residential and Commercial | 9.5 | 12.3 | 14.6 | 19.4 | 21.6 | 22.7 | 22.9 |
| R951 | Residential | 8.4 | 11.5 | 13.5 | 18.3 | 20.5 | 21.7 | 21.9 |
| R952 | Residential | 9.2 | 12.0 | 14.3 | 19.1 | 21.3 | 22.4 | 22.6 |
| R953 | Residential | 7.9 | 10.9 | 12.9 | 17.8 | 20.0 | 21.2 | 21.4 |
| R954 | Residential | 7.4 | 10.5 | 12.5 | 17.3 | 19.5 | 20.8 | 21.0 |
| R955 | Residential | 7.4 | 10.6 | 12.5 | 17.3 | 19.5 | 20.8 | 21.0 |
| R957 | Residential | 8.6 | 11.7 | 13.7 | 18.5 | 20.7 | 21.9 | 22.1 |
| R958 | Residential | 8.7 | 11.7 | 13.8 | 18.6 | 20.8 | 22.0 | 22.2 |
| R959 | Residential | 8.2 | 11.3 | 13.3 | 18.1 | 20.3 | 21.5 | 21.7 |
| R960 | Residential | 9.1 | 12.0 | 14.3 | 19.1 | 21.3 | 22.4 | 22.6 |
| R961 | Residential | 10.8 | 13.6 | 16.0 | 20.8 | 23.0 | 24.0 | 24.2 |
| R971 | Residential | 18.4 | 20.8 | 23.6 | 28.4 | 30.6 | 31.6 | 31.8 |
| R972 | Residential and Commercial | 18.3 | 20.6 | 23.6 | 28.4 | 30.6 | 31.6 | 31.7 |
| R988 | Residential | 10.8 | 13.7 | 15.9 | 20.7 | 22.9 | 24.1 | 24.3 |
| R989 | Residential | 13.9 | 16.7 | 19.1 | 23.9 | 26.1 | 27.1 | 27.3 |
| R990 | Residential and Commercial | 14.0 | 16.7 | 19.2 | 24.0 | 26.2 | 27.2 | 27.4 |
| R991 | Residential and Commercial | 12.2 | 15.1 | 17.4 | 22.2 | 24.4 | 25.5 | 25.7 |
| R992 | Residential and Commercial | 12.7 | 15.5 | 17.8 | 22.6 | 24.8 | 25.9 | 26.1 |
| R993 | Residential and Commercial | 13.2 | 15.9 | 18.3 | 23.1 | 25.3 | 26.4 | 26.6 |
| R994 | Residential | 14.7 | 17.3 | 19.9 | 24.7 | 26.9 | 27.9 | 28.1 |
| R995 | Residential | 17.6 | 20.1 | 22.9 | 27.7 | 29.9 | 30.9 | 31.1 |
| R996 | Residential | 17.9 | 20.3 | 23.2 | 28.0 | 30.2 | 31.1 | 31.3 |
| R997 | Residential | 18.9 | 21.2 | 24.2 | 29.0 | 31.2 | 32.1 | 32.3 |
| R998 | Residential | 20.4 | 22.7 | 25.7 | 30.5 | 32.7 | 33.7 | 33.9 |
| R999 | Residential | 20.2 | 22.5 | 25.5 | 30.3 | 32.5 | 33.5 | 33.7 |
| R1000 | Residential and Commercial | 19.9 | 22.2 | 25.3 | 30.1 | 32.3 | 33.3 | 33.4 |
| R1001 | Residential and Commercial | 18.8 | 21.2 | 24.1 | 28.9 | 31.1 | 32.1 | 32.3 |
| R1002 | Commercial | 20.3 | 22.6 | 25.6 | 30.4 | 32.6 | 33.6 | 33.8 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1003 | Commercial | 20.2 | 22.5 | 25.5 | 30.3 | 32.5 | 33.5 | 33.7 |
| R1004 | Residential | 20.0 | 22.3 | 25.3 | 30.1 | 32.3 | 33.3 | 33.5 |
| R1005 | Residential and Commercial | 21.6 | 23.9 | 27.0 | 31.8 | 34.0 | 35.0 | 35.2 |
| R1006 | Residential | 21.3 | 23.6 | 26.7 | 31.5 | 33.7 | 34.7 | 34.9 |
| R1007 | Residential | 20.7 | 23.0 | 26.1 | 30.9 | 33.1 | 34.1 | 34.3 |
| R1008 | Residential | 20.7 | 23.0 | 26.1 | 30.9 | 33.1 | 34.0 | 34.2 |
| R1009 | Residential | 20.0 | 22.3 | 25.4 | 30.2 | 32.4 | 33.3 | 33.5 |
| R1010 | Residential | 19.1 | 21.4 | 24.4 | 29.2 | 31.4 | 32.4 | 32.6 |
| R1016 | Residential | 8.2 | 11.3 | 13.2 | 18.0 | 20.2 | 21.5 | 21.7 |
| R1017 | Residential | 10.2 | 13.2 | 15.3 | 20.1 | 22.3 | 23.5 | 23.7 |
| R1018 | Residential | 10.8 | 13.7 | 15.9 | 20.7 | 22.9 | 24.0 | 24.2 |
| R1019 | Residential | 11.5 | 14.5 | 16.7 | 21.5 | 23.7 | 24.8 | 25.0 |
| R1039 | Residential and Commercial | 8.2 | 11.3 | 13.3 | 18.1 | 20.3 | 21.6 | 21.8 |
| R1040 | Residential | 20.1 | 22.4 | 25.4 | 30.2 | 32.4 | 33.4 | 33.6 |
| R1041 | Residential | 22.0 | 24.2 | 27.4 | 32.2 | 34.4 | 35.3 | 35.5 |
| R1042 | Residential | 23.5 | 25.8 | 29.1 | 33.9 | 36.1 | 37.0 | 37.2 |
| R1043 | Residential and Commercial | 22.6 | 24.9 | 28.1 | 32.9 | 35.1 | 36.1 | 36.3 |
| R1044 | Residential | 23.5 | 25.8 | 29.1 | 33.9 | 36.1 | 37.0 | 37.2 |
| R1045 | Residential | 24.0 | 26.2 | 29.5 | 34.3 | 36.5 | 37.5 | 37.7 |
| R1046 | Residential and Commercial | 23.6 | 25.8 | 29.0 | 33.8 | 36.0 | 37.0 | 37.1 |
| R1047 | Residential | 23.0 | 25.2 | 28.4 | 33.2 | 35.4 | 36.4 | 36.6 |
| R1048 | Residential | 24.3 | 26.5 | 29.8 | 34.6 | 36.8 | 37.8 | 37.9 |
| R1049 | Residential | 24.0 | 26.3 | 29.5 | 34.3 | 36.5 | 37.5 | 37.6 |
| R1050 | Residential and Commercial | 24.9 | 27.2 | 30.4 | 35.2 | 37.4 | 38.4 | 38.5 |
| R1051 | Residential | 25.1 | 27.3 | 30.5 | 35.3 | 37.5 | 38.5 | 38.7 |
| R1052 | Residential | 28.3 | 30.6 | 33.9 | 38.7 | 40.9 | 41.9 | 42.0 |
| R1052 | Residential | 28.3 | 30.5 | 33.9 | 38.7 | 40.9 | 41.8 | 42.0 |
| R1053 | Residential and Commercial | 27.0 | 29.3 | 32.6 | 37.4 | 39.6 | 40.6 | 40.7 |
| R1053 | Residential and Commercial | 26.8 | 29.0 | 32.4 | 37.2 | 39.4 | 40.3 | 40.5 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1054 | Residential | 20.7 | 23.0 | 26.1 | 30.9 | 33.1 | 34.0 | 34.2 |
| R1058 | Residential | 14.6 | 17.2 | 19.8 | 24.6 | 26.8 | 27.8 | 28.0 |
| R1059 | Residential | 12.6 | 15.3 | 17.7 | 22.5 | 24.7 | 25.8 | 26.0 |
| R1060 | Residential and Commercial | 15.4 | 18.0 | 20.6 | 25.4 | 27.6 | 28.6 | 28.8 |
| R1061 | Residential | 18.4 | 20.8 | 23.7 | 28.5 | 30.7 | 31.7 | 31.9 |
| R1062 | Residential and Commercial | 20.3 | 22.6 | 25.6 | 30.4 | 32.6 | 33.6 | 33.8 |
| R1063 | Residential and Commercial | 20.0 | 22.3 | 25.4 | 30.2 | 32.4 | 33.4 | 33.6 |
| R1064 | Residential | 20.2 | 22.5 | 25.5 | 30.3 | 32.5 | 33.5 | 33.7 |
| R1065 | Residential | 21.4 | 23.7 | 26.8 | 31.6 | 33.8 | 34.8 | 35.0 |
| R1066 | Residential | 20.7 | 23.0 | 26.1 | 30.9 | 33.1 | 34.0 | 34.2 |
| R1067 | Commercial | 20.1 | 22.4 | 25.5 | 30.3 | 32.5 | 33.5 | 33.6 |
| R1067 | Commercial | 20.3 | 22.6 | 25.7 | 30.5 | 32.7 | 33.6 | 33.8 |
| R1068 | Commercial | 19.8 | 22.1 | 25.2 | 30.0 | 32.2 | 33.1 | 33.3 |
| R1076 | Residential | 24.4 | 26.6 | 30.0 | 34.8 | 37.0 | 37.9 | 38.1 |
| R1077 | Residential and Commercial | 22.7 | 25.0 | 28.2 | 33.0 | 35.2 | 36.1 | 36.3 |
| R1078 | Residential | 21.8 | 24.0 | 27.2 | 32.0 | 34.2 | 35.2 | 35.3 |
| R1079 | Residential | 20.3 | 22.5 | 25.6 | 30.4 | 32.6 | 33.6 | 33.7 |
| R1080 | Residential and Commercial | 20.4 | 22.7 | 25.8 | 30.6 | 32.8 | 33.8 | 33.9 |
| R1081 | Residential | 24.0 | 26.2 | 29.5 | 34.3 | 36.5 | 37.5 | 37.6 |
| R1082 | Residential | 19.3 | 21.6 | 24.6 | 29.4 | 31.6 | 32.5 | 32.7 |
| R1084 | Residential | 9.3 | 12.3 | 14.4 | 19.2 | 21.4 | 22.6 | 22.8 |
| R1087 | Residential and Commercial | 16.2 | 18.6 | 21.4 | 26.2 | 28.4 | 29.4 | 29.6 |
| R1089 | Residential | 20.6 | 22.9 | 26.0 | 30.8 | 33.0 | 34.0 | 34.1 |
| R1093 | Residential | 24.0 | 26.3 | 29.6 | 34.4 | 36.6 | 37.5 | 37.6 |
| R1095 | Residential and Commercial | 12.7 | 15.5 | 17.8 | 22.6 | 24.8 | 25.9 | 26.1 |
| R1096 | Residential | 19.4 | 21.7 | 24.7 | 29.5 | 31.7 | 32.7 | 32.8 |
| R1100 | Residential | 9.3 | 12.2 | 14.4 | 19.2 | 21.4 | 22.6 | 22.7 |
| R1105 | Residential | 13.4 | 16.1 | 18.5 | 23.3 | 25.5 | 26.6 | 26.8 |
| R1109 | Residential | 21.7 | 24.0 | 27.1 | 31.9 | 34.1 | 35.0 | 35.2 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1110 | Residential | 8.5 | 11.6 | 13.6 | 18.4 | 20.6 | 21.8 | 22.0 |
| R1112 | Residential | 22.4 | 24.7 | 27.8 | 32.6 | 34.8 | 35.8 | 36.0 |
| R1114 | Residential | 19.5 | 21.8 | 24.8 | 29.6 | 31.8 | 32.8 | 33.0 |
| R1115 | Residential | 19.3 | 21.7 | 24.7 | 29.5 | 31.7 | 32.6 | 32.8 |
| R1116 | Residential | 19.4 | 21.7 | 24.7 | 29.5 | 31.7 | 32.7 | 32.9 |
| R1117 | Residential | 19.4 | 21.7 | 24.7 | 29.5 | 31.7 | 32.7 | 32.9 |
| R1118 | Residential | 19.3 | 21.7 | 24.7 | 29.5 | 31.7 | 32.6 | 32.8 |
| R1125 | Residential | 7.9 | 11.0 | 12.9 | 17.7 | 19.9 | 21.2 | 21.4 |
| R1127 | Residential | 18.6 | 21.0 | 24.0 | 28.8 | 31.0 | 31.9 | 32.1 |
| R1128 | Residential | 21.9 | 24.1 | 27.3 | 32.1 | 34.3 | 35.3 | 35.4 |
| R1129 | Residential | 23.0 | 25.3 | 28.5 | 33.3 | 35.5 | 36.5 | 36.7 |
| R1130 | Commercial | 15.7 | 18.3 | 20.9 | 25.7 | 27.9 | 28.9 | 29.1 |
| R1131 | Commercial | 19.2 | 21.5 | 24.6 | 29.4 | 31.6 | 32.5 | 32.7 |
| R1132 | Commercial | 10.7 | 13.5 | 15.9 | 20.7 | 22.9 | 24.0 | 24.2 |
| R1134 | Commercial | 15.6 | 18.2 | 20.8 | 25.6 | 27.8 | 28.8 | 29.0 |
| R1135 | Residential | 12.9 | 15.4 | 18.2 | 23.0 | 25.2 | 26.2 | 26.4 |
| R1137 | Residential | 18.5 | 20.9 | 23.7 | 28.5 | 30.7 | 31.7 | 31.9 |
| R1160 | Residential | 11.8 | 14.5 | 17.0 | 21.8 | 24.0 | 25.0 | 25.2 |
| R1167 | Residential and Commercial | 12.0 | 14.7 | 17.2 | 22.0 | 24.2 | 25.2 | 25.4 |
| R1178 | Residential and Commercial | 10.7 | 13.5 | 15.8 | 20.6 | 22.8 | 23.9 | 24.1 |
| R1180 | Residential and Commercial | 11.8 | 14.5 | 17.0 | 21.7 | 23.9 | 25.0 | 25.2 |
| R1209 | Residential and Commercial | 12.7 | 15.3 | 17.8 | 22.6 | 24.8 | 25.9 | 26.0 |
| R1227 | Residential | 12.8 | 15.4 | 18.0 | 22.8 | 25.0 | 26.0 | 26.2 |
| R1241 | Residential | 8.3 | 11.2 | 13.4 | 18.2 | 20.4 | 21.6 | 21.8 |
| R1246 | Residential | 9.5 | 12.4 | 14.6 | 19.4 | 21.6 | 22.8 | 22.9 |
| R1344 | Residential and Commercial | 9.1 | 12.0 | 14.2 | 19.0 | 21.2 | 22.4 | 22.5 |
| R1346 | Residential | 10.3 | 13.1 | 15.4 | 20.2 | 22.4 | 23.5 | 23.7 |
| R1347 | Residential | 10.7 | 13.4 | 15.8 | 20.6 | 22.8 | 23.9 | 24.1 |
| R1357 | Residential | 11.2 | 13.9 | 16.4 | 21.2 | 23.4 | 24.4 | 24.6 |
| R1389 | Residential | 9.0 | 11.9 | 14.2 | 19.0 | 21.2 | 22.3 | 22.5 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1390 | Residential | 9.3 | 12.2 | 14.4 | 19.2 | 21.4 | 22.6 | 22.8 |
| R1391 | Residential | 10.1 | 13.0 | 15.3 | 20.1 | 22.3 | 23.4 | 23.6 |
| R1398 | Residential | 8.0 | 11.0 | 13.1 | 17.9 | 20.1 | 21.3 | 21.4 |
| R1399 | Residential | 9.2 | 12.2 | 14.3 | 19.1 | 21.3 | 22.5 | 22.7 |
| R1502 | Residential | 4.3 | 7.6 | 9.4 | 14.2 | 16.4 | 17.8 | 18.0 |
| R1503 | Residential | 5.2 | 8.5 | 10.3 | 15.1 | 17.3 | 18.7 | 18.9 |
| R1504 | Residential and Commercial | 10.8 | 13.5 | 15.9 | 20.7 | 22.9 | 24.0 | 24.2 |
| R1505 | Residential | 6.9 | 9.9 | 12.0 | 16.8 | 19.0 | 20.2 | 20.4 |
| R1506 | Residential | 6.6 | 9.7 | 11.7 | 16.5 | 18.7 | 20.0 | 20.2 |
| R1507 | Residential | 6.7 | 9.8 | 11.8 | 16.6 | 18.8 | 20.0 | 20.2 |
| R1508 | Residential | 6.5 | 9.6 | 11.6 | 16.4 | 18.6 | 19.8 | 20.0 |
| R1509 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.4 | 19.6 |
| R1510 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.4 | 19.6 |
| R1511 | Residential | 7.0 | 10.1 | 12.1 | 16.9 | 19.1 | 20.4 | 20.5 |
| R1512 | Residential | 6.8 | 9.9 | 11.9 | 16.7 | 18.9 | 20.2 | 20.4 |
| R1513 | Residential and Commercial | 5.0 | 8.4 | 10.1 | 14.9 | 17.1 | 18.5 | 18.7 |
| R1514 | Commercial | 5.5 | 8.8 | 10.6 | 15.4 | 17.6 | 18.9 | 19.1 |
| R1515 | Residential and Commercial | 6.9 | 10.1 | 12.0 | 16.8 | 19.0 | 20.3 | 20.5 |
| R1516 | Residential | 8.3 | 11.2 | 13.4 | 18.2 | 20.4 | 21.6 | 21.8 |
| R1517 | Residential | 6.9 | 10.0 | 12.0 | 16.8 | 19.0 | 20.2 | 20.4 |
| R1518 | Residential | 7.3 | 10.2 | 12.4 | 17.2 | 19.4 | 20.6 | 20.7 |
| R1519 | Residential and Commercial | 9.1 | 12.0 | 14.2 | 19.0 | 21.2 | 22.3 | 22.5 |
| R1520 | Residential | 7.9 | 10.9 | 13.0 | 17.9 | 20.0 | 21.2 | 21.4 |
| R1521 | Residential | 4.9 | 8.2 | 10.0 | 14.8 | 17.0 | 18.3 | 18.5 |
| R1522 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.3 | 19.5 |
| R1523 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.3 | 19.5 |
| R1524 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1525 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1526 | Residential | 5.6 | 8.8 | 10.7 | 15.5 | 17.7 | 19.0 | 19.2 |
| R1527 | Residential | 6.9 | 9.9 | 12.0 | 16.8 | 19.0 | 20.2 | 20.4 |
| R1528 | Residential | 5.8 | 8.9 | 10.8 | 15.6 | 17.8 | 19.1 | 19.3 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1529 | Residential | 6.8 | 9.9 | 11.9 | 16.7 | 18.9 | 20.2 | 20.4 |
| R1530 | Residential | 6.8 | 9.9 | 11.9 | 16.7 | 18.9 | 20.2 | 20.4 |
| R1531 | Residential | 6.8 | 9.9 | 11.9 | 16.7 | 18.9 | 20.2 | 20.3 |
| R1532 | Residential | 6.8 | 9.9 | 11.9 | 16.7 | 18.9 | 20.1 | 20.3 |
| R1533 | Residential | 7.2 | 10.3 | 12.3 | 17.1 | 19.3 | 20.5 | 20.7 |
| R1534 | Residential | 7.2 | 10.3 | 12.3 | 17.1 | 19.3 | 20.5 | 20.7 |
| R1535 | Residential | 6.9 | 10.0 | 12.0 | 16.8 | 19.0 | 20.2 | 20.4 |
| R1536 | Residential | 6.9 | 10.0 | 12.0 | 16.8 | 19.0 | 20.3 | 20.5 |
| R1537 | Residential | 5.6 | 8.8 | 10.7 | 15.5 | 17.7 | 19.0 | 19.2 |
| R1539 | Residential | 10.0 | 12.8 | 15.1 | 19.9 | 22.1 | 23.2 | 23.4 |
| R1540 | Residential and Commercial | 11.8 | 14.5 | 17.0 | 21.8 | 24.0 | 25.0 | 25.2 |
| R1541 | Residential | 12.1 | 14.7 | 17.3 | 22.1 | 24.3 | 25.3 | 25.5 |
| R1542 | Residential | 15.3 | 17.7 | 20.6 | 25.4 | 27.6 | 28.5 | 28.7 |
| R1548 | Residential | 3.9 | 7.4 | 9.0 | 13.8 | 16.0 | 17.5 | 17.6 |
| R1549 | Residential | 4.2 | 7.6 | 9.2 | 14.0 | 16.2 | 17.7 | 17.9 |
| R1550 | Residential | 4.1 | 7.5 | 9.1 | 13.9 | 16.2 | 17.6 | 17.8 |
| R1551 | Residential | 4.4 | 7.8 | 9.5 | 14.3 | 16.5 | 17.9 | 18.1 |
| R1552 | Residential | 4.4 | 7.8 | 9.5 | 14.3 | 16.5 | 17.9 | 18.1 |
| R1555 | Residential | 5.9 | 9.0 | 10.9 | 15.7 | 17.9 | 19.2 | 19.4 |
| R1556 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1557 | Residential | 6.4 | 9.5 | 11.5 | 16.3 | 18.5 | 19.8 | 20.0 |
| R1558 | Residential | 6.9 | 10.0 | 12.0 | 16.8 | 19.0 | 20.2 | 20.4 |
| R1559 | Residential | 7.3 | 10.3 | 12.4 | 17.2 | 19.4 | 20.6 | 20.8 |
| R1560 | Residential | 6.9 | 9.9 | 12.0 | 16.8 | 19.0 | 20.2 | 20.4 |
| R1561 | Residential | 7.0 | 10.0 | 12.1 | 16.9 | 19.1 | 20.3 | 20.5 |
| R1562 | Residential and Commercial | 6.5 | 9.7 | 11.6 | 16.4 | 18.6 | 19.9 | 20.1 |
| R1563 | Residential | 7.7 | 10.7 | 12.8 | 17.6 | 19.8 | 21.0 | 21.2 |
| R1564 | Residential | 6.3 | 9.4 | 11.4 | 16.2 | 18.4 | 19.6 | 19.8 |
| R1565 | Residential | 5.4 | 8.6 | 10.4 | 15.2 | 17.4 | 18.7 | 18.9 |
| R1566 | Residential | 6.4 | 9.6 | 11.5 | 16.3 | 18.5 | 19.8 | 20.0 |
| R1567 | Residential | 7.1 | 10.2 | 12.2 | 17.0 | 19.2 | 20.5 | 20.7 |
| R1568 | Residential | 7.5 | 10.6 | 12.6 | 17.4 | 19.6 | 20.9 | 21.0 |
| R1570 | Residential | 7.3 | 10.4 | 12.3 | 17.1 | 19.3 | 20.6 | 20.8 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1571 | Residential | 6.4 | 9.7 | 11.5 | 16.3 | 18.5 | 19.8 | 20.0 |
| R1572 | Residential | 6.9 | 10.1 | 12.0 | 16.8 | 19.0 | 20.3 | 20.5 |
| R1574 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1575 | Residential | 6.6 | 9.7 | 11.7 | 16.5 | 18.7 | 20.0 | 20.2 |
| R1576 | Residential | 6.6 | 9.7 | 11.7 | 16.5 | 18.7 | 19.9 | 20.1 |
| R1577 | Residential | 6.5 | 9.6 | 11.7 | 16.5 | 18.7 | 19.9 | 20.1 |
| R1578 | Residential and Commercial | 10.3 | 13.1 | 15.4 | 20.2 | 22.4 | 23.5 | 23.7 |
| R1579 | Residential and Commercial | 5.9 | 9.0 | 10.9 | 15.7 | 17.9 | 19.2 | 19.4 |
| R1581 | Commercial | 7.2 | 10.2 | 12.3 | 17.1 | 19.3 | 20.5 | 20.7 |
| R1582 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.7 |
| R1583 | Residential | 5.9 | 9.0 | 11.0 | 15.8 | 18.0 | 19.2 | 19.4 |
| R1584 | Residential | 7.1 | 10.2 | 12.2 | 17.0 | 19.2 | 20.5 | 20.7 |
| R1585 | Residential | 6.8 | 9.9 | 11.9 | 16.7 | 18.9 | 20.1 | 20.3 |
| R1586 | Residential | 7.8 | 10.9 | 12.9 | 17.7 | 19.9 | 21.2 | 21.3 |
| R1587 | Residential | 8.7 | 11.6 | 13.8 | 18.6 | 20.8 | 21.9 | 22.1 |
| R1588 | Residential | 11.1 | 13.8 | 16.3 | 21.1 | 23.3 | 24.3 | 24.5 |
| R1589 | Residential | 10.7 | 13.4 | 15.9 | 20.7 | 22.9 | 23.9 | 24.1 |
| R1590 | Residential and Commercial | 12.4 | 15.0 | 17.6 | 22.4 | 24.6 | 25.6 | 25.8 |
| R1591 | Residential and Commercial | 5.7 | 8.9 | 10.8 | 15.7 | 17.9 | 19.1 | 19.3 |
| R1592 | Residential and Commercial | 6.7 | 9.8 | 11.8 | 16.6 | 18.8 | 20.0 | 20.2 |
| R1593 | Residential and Commercial | 7.2 | 10.2 | 12.3 | 17.1 | 19.3 | 20.5 | 20.7 |
| R1594 | Residential and Commercial | 8.4 | 11.3 | 13.5 | 18.3 | 20.5 | 21.6 | 21.8 |
| R1595 | Residential | 8.3 | 11.2 | 13.4 | 18.2 | 20.4 | 21.6 | 21.8 |
| R1596 | Residential | 6.8 | 9.8 | 11.9 | 16.7 | 18.9 | 20.1 | 20.3 |
| R1597 | Residential | 7.1 | 10.2 | 12.2 | 17.0 | 19.2 | 20.5 | 20.6 |
| R1598 | Residential | 7.1 | 10.2 | 12.2 | 17.0 | 19.2 | 20.4 | 20.6 |
| R1599 | Commercial | 7.1 | 10.2 | 12.2 | 17.0 | 19.2 | 20.4 | 20.6 |
| R1600 | Residential | 7.2 | 10.2 | 12.3 | 17.1 | 19.3 | 20.5 | 20.7 |
| R1601 | Residential | 8.4 | 11.4 | 13.5 | 18.3 | 20.5 | 21.7 | 21.9 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1602 | Residential | 6.3 | 9.4 | 11.4 | 16.2 | 18.4 | 19.6 | 19.8 |
| R1603 | Residential | 5.2 | 8.4 | 10.2 | 15.0 | 17.2 | 18.6 | 18.8 |
| R1604 | Residential | 4.8 | 8.1 | 9.9 | 14.7 | 16.9 | 18.2 | 18.4 |
| R1605 | Residential | 7.9 | 10.9 | 13.0 | 17.8 | 20.0 | 21.2 | 21.4 |
| R1606 | Residential | 6.5 | 9.6 | 11.5 | 16.4 | 18.6 | 19.8 | 20.0 |
| R1607 | Residential | 7.0 | 10.1 | 12.0 | 16.8 | 19.0 | 20.3 | 20.5 |
| R1608 | Residential | 7.3 | 10.3 | 12.4 | 17.2 | 19.4 | 20.6 | 20.8 |
| R1609 | Residential | 7.6 | 10.8 | 12.7 | 17.5 | 19.7 | 21.0 | 21.2 |
| R1610 | Residential | 7.6 | 10.7 | 12.7 | 17.5 | 19.7 | 20.9 | 21.1 |
| R1611 | Residential | 7.6 | 10.7 | 12.7 | 17.5 | 19.7 | 21.0 | 21.1 |
| R1612 | Residential | 7.5 | 10.6 | 12.6 | 17.4 | 19.6 | 20.9 | 21.1 |
| R1614 | Residential | 7.9 | 11.0 | 13.0 | 17.8 | 20.0 | 21.2 | 21.4 |
| R1615 | Residential | 7.9 | 11.0 | 13.0 | 17.8 | 20.0 | 21.2 | 21.4 |
| R1616 | Residential | 8.1 | 11.2 | 13.2 | 18.0 | 20.2 | 21.4 | 21.6 |
| R1617 | Residential | 7.5 | 10.7 | 12.7 | 17.5 | 19.7 | 20.9 | 21.1 |
| R1618 | Residential | 7.4 | 10.6 | 12.5 | 17.3 | 19.5 | 20.8 | 21.0 |
| R1621 | Residential | 7.9 | 10.9 | 13.0 | 17.8 | 20.0 | 21.2 | 21.4 |
| R1631 | Residential | 3.6 | 7.1 | 8.7 | 13.5 | 15.7 | 17.2 | 17.4 |
| R1632 | Residential | 4.1 | 7.5 | 9.1 | 13.9 | 16.1 | 17.6 | 17.8 |
| R1633 | Residential | 3.7 | 7.2 | 8.8 | 13.6 | 15.8 | 17.3 | 17.5 |
| R1634 | Residential | 4.9 | 8.3 | 9.9 | 14.7 | 16.9 | 18.4 | 18.6 |
| R1640 | Residential | 3.8 | 7.2 | 8.8 | 13.6 | 15.8 | 17.3 | 17.5 |
| R1641 | Residential and Commercial | 3.3 | 6.8 | 8.3 | 13.1 | 15.3 | 16.8 | 17.0 |
| R1642 | Residential | 4.7 | 8.1 | 9.8 | 14.6 | 16.8 | 18.2 | 18.4 |
| R1643 | Residential and Commercial | 4.4 | 7.7 | 9.5 | 14.3 | 16.5 | 17.9 | 18.1 |
| R1644 | Residential | 5.6 | 8.8 | 10.7 | 15.5 | 17.7 | 19.0 | 19.1 |
| R1645 | Residential | 9.2 | 12.1 | 14.3 | 19.1 | 21.3 | 22.5 | 22.7 |
| R1646 | Residential | 7.7 | 10.7 | 12.8 | 17.6 | 19.8 | 21.0 | 21.2 |
| R1647 | Residential | 7.9 | 10.8 | 13.0 | 17.8 | 20.0 | 21.2 | 21.4 |
| R1648 | Residential | 6.7 | 10.0 | 11.8 | 16.6 | 18.8 | 20.1 | 20.3 |
| R1652 | Residential | 6.1 | 9.3 | 11.2 | 16.0 | 18.2 | 19.5 | 19.7 |
| R1653 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.6 |
| R1654 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.7 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|-------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1655 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.6 |
| R1656 | Residential | 6.1 | 9.3 | 11.2 | 16.0 | 18.2 | 19.5 | 19.7 |
| R1657 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.3 | 19.5 |
| R1658 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.4 | 19.5 |
| R1659 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1660 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1661 | Residential | 6.1 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1662 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.4 | 19.6 |
| R1663 | Residential | 6.1 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1664 | Residential | 6.1 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1665 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1666 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1667 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1668 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1669 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.4 | 19.5 |
| R1670 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.4 | 19.5 |
| R1671 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1672 | Residential | 6.1 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1673 | Residential | 6.1 | 9.2 | 11.1 | 16.0 | 18.2 | 19.4 | 19.6 |
| R1674 | Residential | 5.9 | 9.0 | 11.0 | 15.8 | 18.0 | 19.3 | 19.5 |
| R1675 | Residential | 5.9 | 9.0 | 11.0 | 15.8 | 18.0 | 19.3 | 19.5 |
| R1676 | Residential | 5.9 | 9.0 | 11.0 | 15.8 | 18.0 | 19.2 | 19.4 |
| R1677 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.4 | 19.5 |
| R1678 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1679 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1680 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1681 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1682 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1683 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1684 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.6 |
| R1685 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.6 |
| R1686 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.7 |
| R1687 | Residential | 8.7 | 11.7 | 13.8 | 18.6 | 20.8 | 22.0 | 22.2 |
| R1688 | Residential | 9.8 | 12.6 | 14.9 | 19.7 | 21.9 | 23.0 | 23.2 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1689 | Residential | 11.3 | 14.0 | 16.4 | 21.2 | 23.4 | 24.5 | 24.7 |
| R1690 | Residential | 12.4 | 15.0 | 17.6 | 22.4 | 24.6 | 25.6 | 25.8 |
| R1691 | Residential and Commercial | 10.2 | 13.0 | 15.3 | 20.1 | 22.3 | 23.4 | 23.6 |
| R1692 | Residential and Commercial | 10.3 | 13.2 | 15.5 | 20.3 | 22.5 | 23.6 | 23.8 |
| R1700 | Residential | 7.0 | 10.1 | 12.1 | 16.9 | 19.1 | 20.3 | 20.5 |
| R1701 | Residential | 11.2 | 13.9 | 16.4 | 21.2 | 23.4 | 24.5 | 24.7 |
| R1702 | Residential and Commercial | 8.1 | 11.0 | 13.2 | 18.0 | 20.2 | 21.4 | 21.6 |
| R1703 | Residential | 6.8 | 9.9 | 11.9 | 16.7 | 18.9 | 20.1 | 20.3 |
| R1704 | Residential | 5.5 | 8.7 | 10.5 | 15.4 | 17.6 | 18.8 | 19.0 |
| R1706 | Residential | 5.9 | 9.0 | 10.9 | 15.7 | 17.9 | 19.2 | 19.4 |
| R1707 | Residential | 5.8 | 9.0 | 10.9 | 15.7 | 17.9 | 19.2 | 19.4 |
| R1708 | Residential | 5.9 | 9.0 | 10.9 | 15.7 | 17.9 | 19.2 | 19.4 |
| R1709 | Residential | 5.8 | 9.0 | 10.9 | 15.7 | 17.9 | 19.2 | 19.4 |
| R1710 | Residential | 5.8 | 9.0 | 10.9 | 15.7 | 17.9 | 19.2 | 19.4 |
| R1711 | Residential | 5.7 | 8.9 | 10.8 | 15.6 | 17.8 | 19.1 | 19.3 |
| R1712 | Residential | 5.7 | 8.9 | 10.8 | 15.6 | 17.8 | 19.1 | 19.3 |
| R1713 | Residential | 5.7 | 8.9 | 10.8 | 15.6 | 17.8 | 19.1 | 19.3 |
| R1715 | Residential | 5.7 | 8.9 | 10.8 | 15.6 | 17.8 | 19.1 | 19.3 |
| R1716 | Commercial | 7.6 | 10.7 | 12.7 | 17.5 | 19.7 | 20.9 | 21.1 |
| R1717 | Residential | 8.1 | 11.1 | 13.3 | 18.1 | 20.3 | 21.5 | 21.6 |
| R1720 | Residential | 14.1 | 16.7 | 19.3 | 24.1 | 26.3 | 27.3 | 27.5 |
| R1721 | Residential | 12.1 | 14.7 | 17.3 | 22.1 | 24.3 | 25.3 | 25.5 |
| R1722 | Residential | 6.9 | 10.0 | 12.0 | 16.8 | 19.0 | 20.2 | 20.4 |
| R1723 | Residential | 7.6 | 10.6 | 12.7 | 17.5 | 19.7 | 20.9 | 21.1 |
| R1726 | Residential | 6.6 | 9.7 | 11.7 | 16.5 | 18.7 | 20.0 | 20.2 |
| R1730 | Residential | 11.3 | 14.0 | 16.4 | 21.2 | 23.4 | 24.5 | 24.7 |
| R1731 | Residential | 8.1 | 11.0 | 13.2 | 18.0 | 20.2 | 21.4 | 21.6 |
| R1735 | Residential | 5.3 | 8.5 | 10.4 | 15.2 | 17.4 | 18.7 | 18.9 |
| R1736 | Residential | 7.8 | 10.9 | 12.9 | 17.7 | 19.9 | 21.1 | 21.3 |
| R1738 | Residential | 6.1 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1739 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.6 |
| R1740 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.4 | 19.6 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1750 | Residential and Commercial | 5.8 | 9.0 | 10.9 | 15.7 | 17.9 | 19.2 | 19.4 |
| R1751 | Residential | 5.7 | 8.8 | 10.8 | 15.6 | 17.8 | 19.0 | 19.2 |
| R1752 | Commercial | 7.0 | 10.1 | 12.1 | 16.9 | 19.1 | 20.3 | 20.5 |
| R1753 | Residential and Commercial | 7.0 | 10.1 | 12.1 | 16.9 | 19.1 | 20.3 | 20.5 |
| R1754 | Residential | 6.9 | 10.0 | 12.0 | 16.8 | 19.0 | 20.3 | 20.5 |
| R1755 | Residential | 7.2 | 10.3 | 12.3 | 17.1 | 19.3 | 20.5 | 20.7 |
| R1756 | Residential | 7.2 | 10.3 | 12.3 | 17.1 | 19.3 | 20.5 | 20.7 |
| R1757 | Residential | 7.4 | 10.4 | 12.4 | 17.2 | 19.4 | 20.7 | 20.9 |
| R1758 | Residential | 6.9 | 10.0 | 12.0 | 16.8 | 19.0 | 20.3 | 20.5 |
| R1759 | Residential | 7.4 | 10.4 | 12.5 | 17.3 | 19.5 | 20.7 | 20.9 |
| R1760 | Residential | 8.8 | 11.7 | 13.9 | 18.7 | 20.9 | 22.1 | 22.2 |
| R1761 | Residential | 7.9 | 10.9 | 13.0 | 17.8 | 20.0 | 21.2 | 21.4 |
| R1762 | Residential and Commercial | 8.3 | 11.3 | 13.4 | 18.2 | 20.4 | 21.6 | 21.8 |
| R1763 | Residential and Commercial | 8.6 | 11.6 | 13.8 | 18.6 | 20.8 | 21.9 | 22.1 |
| R1764 | Residential | 9.9 | 12.7 | 15.1 | 19.9 | 22.1 | 23.2 | 23.4 |
| R1765 | Residential | 11.4 | 14.1 | 16.6 | 21.4 | 23.6 | 24.6 | 24.8 |
| R1766 | Residential | 12.0 | 14.6 | 17.1 | 21.9 | 24.1 | 25.2 | 25.4 |
| R1770 | Residential | 4.7 | 8.0 | 9.7 | 14.6 | 16.8 | 18.1 | 18.3 |
| R1771 | Residential | 4.6 | 7.9 | 9.7 | 14.5 | 16.7 | 18.1 | 18.3 |
| R1772 | Residential | 5.0 | 8.2 | 10.0 | 14.8 | 17.0 | 18.4 | 18.6 |
| R1773 | Residential | 5.1 | 8.4 | 10.2 | 15.0 | 17.2 | 18.5 | 18.7 |
| R1774 | Residential | 5.7 | 8.9 | 10.8 | 15.6 | 17.8 | 19.1 | 19.3 |
| R1775 | Residential | 6.7 | 9.7 | 11.7 | 16.5 | 18.7 | 20.0 | 20.2 |
| R1776 | Residential | 6.6 | 9.7 | 11.7 | 16.5 | 18.7 | 19.9 | 20.1 |
| R1777 | Residential | 6.9 | 9.9 | 12.0 | 16.8 | 19.0 | 20.2 | 20.4 |
| R1778 | Residential and Commercial | 7.3 | 10.3 | 12.4 | 17.2 | 19.4 | 20.6 | 20.8 |
| R1779 | Residential and Commercial | 8.3 | 11.2 | 13.4 | 18.2 | 20.4 | 21.6 | 21.8 |
| R1804 | Residential | 5.5 | 8.8 | 10.6 | 15.4 | 17.6 | 19.0 | 19.2 |
| R1805 | Residential and Commercial | 4.4 | 7.7 | 9.5 | 14.3 | 16.5 | 17.8 | 18.0 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1806 | Residential and Commercial | 5.1 | 8.3 | 10.2 | 15.0 | 17.2 | 18.5 | 18.7 |
| R1807 | Residential and Commercial | 4.8 | 8.1 | 9.9 | 14.7 | 16.9 | 18.2 | 18.4 |
| R1808 | Residential | 5.1 | 8.3 | 10.2 | 15.0 | 17.2 | 18.5 | 18.7 |
| R1809 | Residential | 4.9 | 8.2 | 10.0 | 14.8 | 17.0 | 18.3 | 18.5 |
| R1810 | Residential | 4.9 | 8.1 | 10.0 | 14.8 | 17.0 | 18.3 | 18.5 |
| R1811 | Residential | 5.0 | 8.2 | 10.1 | 14.9 | 17.1 | 18.4 | 18.6 |
| R1812 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1813 | Residential | 5.9 | 9.0 | 11.0 | 15.8 | 18.0 | 19.3 | 19.4 |
| R1814 | Residential | 5.9 | 9.0 | 11.0 | 15.8 | 18.0 | 19.3 | 19.4 |
| R1815 | Residential | 5.7 | 8.9 | 10.8 | 15.6 | 17.8 | 19.1 | 19.3 |
| R1816 | Residential | 5.6 | 8.7 | 10.7 | 15.5 | 17.7 | 18.9 | 19.1 |
| R1817 | Residential | 5.6 | 8.7 | 10.6 | 15.4 | 17.6 | 18.9 | 19.1 |
| R1818 | Residential and Commercial | 5.7 | 8.9 | 10.8 | 15.6 | 17.8 | 19.1 | 19.3 |
| R1819 | Residential | 5.3 | 8.5 | 10.4 | 15.2 | 17.4 | 18.7 | 18.9 |
| R1820 | Residential | 5.7 | 8.9 | 10.8 | 15.6 | 17.8 | 19.1 | 19.3 |
| R1821 | Residential | 5.8 | 9.0 | 10.9 | 15.7 | 17.9 | 19.2 | 19.4 |
| R1822 | Residential | 6.0 | 9.1 | 11.1 | 15.9 | 18.1 | 19.3 | 19.5 |
| R1823 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1824 | Commercial | 5.9 | 9.1 | 11.0 | 15.8 | 18.0 | 19.3 | 19.5 |
| R1825 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.7 |
| R1826 | Commercial | 6.2 | 9.3 | 11.3 | 16.1 | 18.3 | 19.5 | 19.7 |
| R1827 | Commercial | 6.2 | 9.3 | 11.3 | 16.1 | 18.3 | 19.5 | 19.7 |
| R1828 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1829 | Residential | 6.0 | 9.2 | 11.2 | 16.0 | 18.2 | 19.4 | 19.6 |
| R1830 | Residential | 6.0 | 9.2 | 11.2 | 15.9 | 18.2 | 19.4 | 19.6 |
| R1831 | Residential and Commercial | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.7 |
| R1832 | Residential | 6.3 | 9.4 | 11.4 | 16.2 | 18.4 | 19.6 | 19.8 |
| R1833 | Residential | 6.2 | 9.3 | 11.3 | 16.1 | 18.3 | 19.6 | 19.7 |
| R1834 | Commercial | 6.2 | 9.3 | 11.3 | 16.1 | 18.3 | 19.6 | 19.8 |
| R1835 | Residential | 6.4 | 9.5 | 11.5 | 16.3 | 18.5 | 19.7 | 19.9 |
| R1836 | Residential | 7.1 | 10.1 | 12.2 | 17.0 | 19.2 | 20.4 | 20.6 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1837 | Residential | 5.1 | 8.3 | 10.2 | 15.0 | 17.2 | 18.5 | 18.7 |
| R1838 | Residential | 4.9 | 8.2 | 10.0 | 14.8 | 17.0 | 18.3 | 18.5 |
| R1839 | Residential | 4.6 | 7.9 | 9.7 | 14.5 | 16.7 | 18.0 | 18.2 |
| R1842 | Residential | 8.1 | 11.1 | 13.3 | 18.1 | 20.3 | 21.4 | 21.6 |
| R1843 | Residential | 6.1 | 9.2 | 11.2 | 16.0 | 18.2 | 19.5 | 19.7 |
| R1844 | Residential and Commercial | 4.9 | 8.3 | 10.0 | 14.8 | 17.0 | 18.4 | 18.6 |
| R1845 | Residential and Commercial | 3.8 | 7.3 | 8.9 | 13.7 | 15.9 | 17.4 | 17.5 |
| R1846 | Residential | 5.0 | 8.4 | 10.1 | 14.9 | 17.1 | 18.5 | 18.7 |
| R1859 | Residential and Commercial | 4.8 | 8.2 | 9.9 | 14.7 | 16.9 | 18.3 | 18.5 |
| R1860 | Residential and Commercial | 6.7 | 9.8 | 11.8 | 16.6 | 18.8 | 20.1 | 20.3 |
| R1861 | Residential | 6.7 | 9.8 | 11.8 | 16.6 | 18.8 | 20.0 | 20.2 |
| R1862 | Residential and Commercial | 11.6 | 14.3 | 16.7 | 21.5 | 23.7 | 24.8 | 25.0 |
| R1863 | Residential | 11.2 | 13.9 | 16.3 | 21.1 | 23.3 | 24.4 | 24.6 |
| R1864 | Residential | 11.3 | 14.0 | 16.5 | 21.3 | 23.5 | 24.5 | 24.7 |
| R1865 | Residential | 11.2 | 14.0 | 16.4 | 21.2 | 23.4 | 24.5 | 24.7 |
| R1866 | Residential and Commercial | 9.6 | 12.6 | 14.8 | 19.6 | 21.8 | 22.9 | 23.1 |
| R1867 | Residential and Commercial | 9.6 | 12.5 | 14.7 | 19.5 | 21.7 | 22.9 | 23.1 |
| R1868 | Residential and Commercial | 9.4 | 12.4 | 14.5 | 19.3 | 21.5 | 22.7 | 22.9 |
| R1869 | Residential | 8.3 | 11.3 | 13.4 | 18.2 | 20.4 | 21.6 | 21.8 |
| R1870 | Residential and Commercial | 8.6 | 11.6 | 13.7 | 18.5 | 20.7 | 21.9 | 22.1 |
| R1871 | Residential | 8.3 | 11.4 | 13.4 | 18.2 | 20.4 | 21.7 | 21.9 |
| R1872 | Residential and Commercial | 7.8 | 10.9 | 12.9 | 17.7 | 19.9 | 21.1 | 21.3 |
| R1873 | Residential | 7.6 | 10.7 | 12.7 | 17.5 | 19.7 | 21.0 | 21.1 |
| R1874 | Residential | 7.6 | 10.7 | 12.7 | 17.5 | 19.7 | 21.0 | 21.2 |
| R1875 | Residential | 7.5 | 10.6 | 12.6 | 17.4 | 19.6 | 20.9 | 21.1 |
| R1876 | Residential | 7.7 | 10.8 | 12.7 | 17.5 | 19.7 | 21.0 | 21.2 |
| R1882 | Residential | 8.4 | 11.5 | 13.5 | 18.3 | 20.5 | 21.7 | 21.9 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1883 | Residential | 7.5 | 10.7 | 12.6 | 17.4 | 19.6 | 20.9 | 21.1 |
| R1884 | Residential | 7.7 | 10.8 | 12.7 | 17.5 | 19.7 | 21.0 | 21.2 |
| R1887 | Residential and Commercial | 12.5 | 15.1 | 17.7 | 22.5 | 24.7 | 25.7 | 25.9 |
| R1888 | Residential | 12.0 | 14.7 | 17.2 | 22.0 | 24.2 | 25.2 | 25.4 |
| R1889 | Residential and Commercial | 12.4 | 15.0 | 17.6 | 22.4 | 24.6 | 25.6 | 25.8 |
| R1890 | Residential | 11.8 | 14.5 | 17.0 | 21.8 | 24.0 | 25.0 | 25.2 |
| R1891 | Residential and Commercial | 11.9 | 14.5 | 17.1 | 21.9 | 24.1 | 25.1 | 25.3 |
| R1892 | Residential | 10.1 | 12.9 | 15.3 | 20.1 | 22.3 | 23.4 | 23.6 |
| R1893 | Residential | 10.1 | 12.9 | 15.2 | 20.0 | 22.2 | 23.3 | 23.5 |
| R1894 | Residential | 9.7 | 12.6 | 14.8 | 19.6 | 21.8 | 22.9 | 23.1 |
| R1895 | Residential | 9.6 | 12.4 | 14.7 | 19.5 | 21.7 | 22.8 | 23.0 |
| R1896 | Residential | 12.5 | 15.1 | 17.7 | 22.5 | 24.7 | 25.7 | 25.9 |
| R1897 | Residential and Commercial | 14.1 | 16.6 | 19.3 | 24.1 | 26.3 | 27.3 | 27.5 |
| R1898 | Residential | 15.6 | 18.0 | 20.8 | 25.6 | 27.8 | 28.8 | 29.0 |
| R1899 | Residential | 6.0 | 9.2 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R1900 | Residential and Commercial | 7.8 | 10.8 | 13.0 | 17.8 | 20.0 | 21.1 | 21.3 |
| R1903 | Residential and Commercial | 11.7 | 14.4 | 16.9 | 21.7 | 23.9 | 24.9 | 25.1 |
| R1904 | Residential | 10.5 | 13.3 | 15.7 | 20.5 | 22.7 | 23.8 | 23.9 |
| R1905 | Residential | 9.8 | 12.7 | 15.0 | 19.8 | 22.0 | 23.1 | 23.3 |
| R1906 | Residential | 9.4 | 12.2 | 14.5 | 19.3 | 21.5 | 22.6 | 22.8 |
| R1907 | Residential and Commercial | 11.4 | 14.1 | 16.6 | 21.4 | 23.6 | 24.6 | 24.8 |
| R1908 | Residential | 11.3 | 14.0 | 16.4 | 21.2 | 23.4 | 24.5 | 24.7 |
| R1911 | Residential | 5.5 | 8.7 | 10.6 | 15.4 | 17.6 | 18.9 | 19.1 |
| R1912 | Residential and Commercial | 6.3 | 9.4 | 11.3 | 16.1 | 18.3 | 19.6 | 19.8 |
| R1913 | Residential | 6.4 | 9.5 | 11.5 | 16.3 | 18.5 | 19.7 | 19.9 |
| R1914 | Residential and Commercial | 6.0 | 9.1 | 11.0 | 15.8 | 18.0 | 19.3 | 19.5 |
| R1915 | Residential and Commercial | 5.3 | 8.5 | 10.4 | 15.2 | 17.4 | 18.7 | 18.9 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1916 | Residential | 9.6 | 12.5 | 14.7 | 19.5 | 21.7 | 22.8 | 23.0 |
| R1917 | Residential | 7.7 | 10.7 | 12.8 | 17.6 | 19.8 | 21.0 | 21.2 |
| R1918 | Residential | 7.1 | 10.2 | 12.2 | 17.0 | 19.2 | 20.4 | 20.6 |
| R1919 | Residential and Commercial | 6.7 | 9.8 | 11.8 | 16.6 | 18.8 | 20.1 | 20.2 |
| R1920 | Residential | 6.4 | 9.5 | 11.4 | 16.2 | 18.4 | 19.7 | 19.9 |
| R1926 | Residential and Commercial | 6.3 | 9.4 | 11.3 | 16.1 | 18.3 | 19.6 | 19.8 |
| R1941 | Residential | 10.0 | 12.9 | 15.1 | 19.9 | 22.1 | 23.2 | 23.4 |
| R1942 | Residential | 9.8 | 12.7 | 14.8 | 19.6 | 21.8 | 23.0 | 23.2 |
| R1943 | Residential | 9.7 | 12.7 | 14.8 | 19.6 | 21.8 | 23.0 | 23.2 |
| R1944 | Residential and Commercial | 8.7 | 11.7 | 13.8 | 18.6 | 20.8 | 22.0 | 22.2 |
| R1945 | Residential | 8.6 | 11.6 | 13.7 | 18.5 | 20.7 | 21.9 | 22.1 |
| R1946 | Residential | 8.4 | 11.4 | 13.5 | 18.3 | 20.5 | 21.7 | 21.9 |
| R1947 | Residential | 8.4 | 11.4 | 13.5 | 18.3 | 20.5 | 21.7 | 21.9 |
| R1948 | Residential | 7.7 | 10.8 | 12.8 | 17.6 | 19.8 | 21.1 | 21.2 |
| R1949 | Residential and Commercial | 7.7 | 10.7 | 12.8 | 17.6 | 19.8 | 21.0 | 21.2 |
| R1950 | Residential and Commercial | 7.1 | 10.2 | 12.2 | 17.0 | 19.2 | 20.4 | 20.6 |
| R1951 | Residential | 7.0 | 10.1 | 12.0 | 16.8 | 19.0 | 20.3 | 20.5 |
| R1952 | Residential and Commercial | 7.2 | 10.4 | 12.3 | 17.1 | 19.3 | 20.6 | 20.7 |
| R1953 | Residential | 6.1 | 9.3 | 11.1 | 15.9 | 18.1 | 19.5 | 19.7 |
| R1955 | Residential and Commercial | 7.7 | 10.8 | 12.7 | 17.5 | 19.7 | 21.0 | 21.2 |
| R1956 | Residential and Commercial | 7.5 | 10.6 | 12.6 | 17.4 | 19.6 | 20.9 | 21.0 |
| R1957 | Residential and Commercial | 7.4 | 10.5 | 12.5 | 17.3 | 19.5 | 20.8 | 20.9 |
| R1958 | Residential | 9.0 | 12.0 | 14.1 | 18.9 | 21.1 | 22.3 | 22.5 |
| R1959 | Residential and Commercial | 8.7 | 11.7 | 13.8 | 18.6 | 20.8 | 22.0 | 22.2 |
| R1960 | Residential and Commercial | 7.3 | 10.4 | 12.4 | 17.2 | 19.4 | 20.6 | 20.8 |
| R1961 | Residential | 7.2 | 10.3 | 12.2 | 17.1 | 19.3 | 20.5 | 20.7 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R1962 | Residential | 6.3 | 9.4 | 11.4 | 16.2 | 18.4 | 19.6 | 19.8 |
| R1964 | Residential and Commercial | 7.0 | 10.2 | 12.0 | 16.8 | 19.0 | 20.4 | 20.6 |
| R1965 | Residential and Commercial | 7.0 | 10.2 | 12.1 | 16.9 | 19.1 | 20.4 | 20.6 |
| R1967 | Residential and Commercial | 9.1 | 12.1 | 14.2 | 19.0 | 21.2 | 22.4 | 22.6 |
| R1968 | Residential | 8.1 | 11.1 | 13.2 | 18.0 | 20.2 | 21.4 | 21.6 |
| R1969 | Residential | 7.5 | 10.6 | 12.5 | 17.3 | 19.5 | 20.8 | 21.0 |
| R1970 | Residential and Commercial | 6.9 | 10.1 | 12.0 | 16.8 | 19.0 | 20.3 | 20.5 |
| R1972 | Residential | 7.8 | 10.9 | 12.9 | 17.7 | 19.9 | 21.2 | 21.3 |
| R1973 | Residential and Commercial | 8.9 | 11.8 | 14.0 | 18.8 | 21.0 | 22.2 | 22.4 |
| R1974 | Residential and Commercial | 7.0 | 10.1 | 12.1 | 16.9 | 19.1 | 20.3 | 20.5 |
| R1975 | Residential | 6.3 | 9.5 | 11.4 | 16.2 | 18.4 | 19.7 | 19.9 |
| R1993 | Residential and Commercial | 10.9 | 13.8 | 16.1 | 20.9 | 23.1 | 24.2 | 24.4 |
| R1994 | Residential | 10.8 | 13.7 | 16.0 | 20.8 | 23.0 | 24.1 | 24.3 |
| R1995 | Residential and Commercial | 10.2 | 13.1 | 15.3 | 20.1 | 22.3 | 23.5 | 23.7 |
| R1996 | Residential | 9.9 | 12.8 | 15.0 | 19.8 | 22.0 | 23.2 | 23.4 |
| R1998 | Residential | 6.3 | 9.5 | 11.3 | 16.1 | 18.3 | 19.7 | 19.9 |
| R2001 | Residential | 7.3 | 10.4 | 12.4 | 17.2 | 19.4 | 20.6 | 20.8 |
| R2002 | Commercial | 6.9 | 10.0 | 12.0 | 16.8 | 19.0 | 20.2 | 20.4 |
| R2004 | Commercial | 7.4 | 10.6 | 12.5 | 17.3 | 19.5 | 20.8 | 21.0 |
| R2005 | Residential | 10.2 | 13.0 | 15.3 | 20.1 | 22.3 | 23.4 | 23.6 |
| R2276 | Residential and Commercial | 3.1 | 6.6 | 8.2 | 13.0 | 15.2 | 16.7 | 16.9 |
| R2277 | Residential and Commercial | 4.7 | 8.1 | 9.8 | 14.6 | 16.8 | 18.2 | 18.4 |
| R2293 | Residential and Commercial | 2.7 | 6.3 | 7.8 | 12.6 | 14.8 | 16.3 | 16.5 |
| R2299 | Residential | 0.8 | 4.5 | 5.9 | 10.7 | 12.9 | 14.4 | 14.6 |
| R2300 | Residential | 1.1 | 4.7 | 6.1 | 10.9 | 13.1 | 14.7 | 14.9 |
| R2332 | Residential | 2.1 | 5.6 | 7.1 | 11.9 | 14.1 | 15.6 | 15.9 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|-----|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R2333 | Residential | 2.5 | 6.0 | 7.6 | 12.4 | 14.6 | 16.1 | 16.3 |
| R2334 | Residential | 0.7 | 4.4 | 5.7 | 10.5 | 12.7 | 14.3 | 14.6 |
| R2340 | Residential | 6.6 | 9.8 | 11.7 | 16.5 | 18.7 | 20.0 | 20.2 |
| R2353 | Residential | 0.9 | 4.6 | 6.0 | 10.8 | 13.0 | 14.6 | 14.8 |
| R2367 | Residential | 2.4 | 6.0 | 7.5 | 12.3 | 14.5 | 16.0 | 16.2 |
| R2368 | Residential | 2.6 | 6.1 | 7.6 | 12.4 | 14.6 | 16.1 | 16.3 |
| R2369 | Residential | 0.6 | 4.3 | 5.7 | 10.5 | 12.7 | 14.3 | 14.5 |
| R2376 | Residential | 1.2 | 4.8 | 6.2 | 11.0 | 13.2 | 14.8 | 15.0 |
| R2413 | Residential | 1.7 | 5.3 | 6.8 | 11.6 | 13.8 | 15.3 | 15.5 |
| R2415 | Residential | 2.5 | 6.0 | 7.5 | 12.3 | 14.5 | 16.0 | 16.2 |
| R2416 | Residential | 3.1 | 6.5 | 8.1 | 12.9 | 15.1 | 16.6 | 16.8 |
| R2421 | Residential | 3.4 | 6.9 | 8.5 | 13.3 | 15.5 | 16.9 | 17.1 |
| R2422 | Residential | 3.7 | 7.1 | 8.8 | 13.6 | 15.8 | 17.2 | 17.4 |
| R2423 | Residential | 3.8 | 7.2 | 8.9 | 13.7 | 15.9 | 17.3 | 17.5 |
| R2424 | Residential | 4.0 | 7.4 | 9.1 | 13.9 | 16.1 | 17.5 | 17.7 |
| R2425 | Residential | 4.0 | 7.4 | 9.1 | 13.9 | 16.1 | 17.5 | 17.7 |
| R2426 | Residential | 3.9 | 7.3 | 9.0 | 13.8 | 16.0 | 17.4 | 17.6 |
| R2427 | Residential | 3.8 | 7.2 | 8.9 | 13.7 | 15.9 | 17.3 | 17.5 |
| R2428 | Residential and Commercial | 5.9 | 9.2 | 11.0 | 15.8 | 18.0 | 19.4 | 19.6 |
| R2429 | Residential | 5.8 | 9.1 | 10.9 | 15.7 | 17.9 | 19.3 | 19.5 |
| R2430 | Residential and Commercial | 4.9 | 8.2 | 10.0 | 14.8 | 17.0 | 18.4 | 18.6 |
| R2431 | Residential | 4.8 | 8.1 | 9.9 | 14.7 | 16.9 | 18.3 | 18.5 |
| R2435 | Residential | 3.5 | 7.0 | 8.6 | 13.4 | 15.6 | 17.0 | 17.2 |
| R2447 | Residential | 3.0 | 6.5 | 8.1 | 12.9 | 15.1 | 16.5 | 16.7 |
| R2448 | Residential and Commercial | 2.8 | 6.3 | 7.9 | 12.7 | 14.9 | 16.3 | 16.5 |
| R2449 | Residential | 3.0 | 6.4 | 8.0 | 12.8 | 15.0 | 16.5 | 16.7 |
| R2450 | Residential and Commercial | 3.1 | 6.5 | 8.1 | 12.9 | 15.1 | 16.6 | 16.8 |
| R2451 | Residential | 3.1 | 6.6 | 8.2 | 13.0 | 15.2 | 16.7 | 16.8 |
| R2456 | Residential | 6.6 | 9.7 | 11.6 | 16.4 | 18.6 | 20.0 | 20.1 |
| R2459 | Residential | 0.9 | 4.5 | 5.9 | 10.8 | 13.0 | 14.5 | 14.7 |
| R2462 | Residential | 3.1 | 6.7 | 8.2 | 13.0 | 15.2 | 16.7 | 16.9 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|-----|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R2570 | Residential and Commercial | 3.6 | 7.1 | 8.7 | 13.5 | 15.7 | 17.1 | 17.3 |
| R2574 | Residential | 1.6 | 5.2 | 6.7 | 11.5 | 13.7 | 15.2 | 15.4 |
| R2575 | Residential | 1.7 | 5.3 | 6.8 | 11.6 | 13.8 | 15.3 | 15.5 |
| R2579 | Residential | 5.6 | 8.9 | 10.7 | 15.5 | 17.7 | 19.1 | 19.2 |
| R2583 | Residential | 6.7 | 9.9 | 11.8 | 16.6 | 18.8 | 20.1 | 20.3 |
| R2594 | Residential | 3.6 | 7.0 | 8.7 | 13.5 | 15.7 | 17.1 | 17.3 |
| R2595 | Residential | 3.7 | 7.1 | 8.8 | 13.6 | 15.8 | 17.2 | 17.4 |
| R2597 | Residential | 1.6 | 5.1 | 6.6 | 11.4 | 13.6 | 15.1 | 15.4 |
| R2630 | Residential | 4.5 | 7.9 | 9.6 | 14.4 | 16.6 | 18.0 | 18.2 |
| R2631 | Residential | 3.8 | 7.2 | 8.8 | 13.6 | 15.8 | 17.2 | 17.4 |
| R2632 | Residential | 3.7 | 7.1 | 8.8 | 13.6 | 15.8 | 17.2 | 17.4 |
| R2633 | Residential | 3.5 | 6.9 | 8.5 | 13.3 | 15.5 | 17.0 | 17.2 |
| R2634 | Residential | 3.1 | 6.5 | 8.1 | 12.9 | 15.1 | 16.6 | 16.8 |
| R2635 | Residential | 2.8 | 6.3 | 7.9 | 12.7 | 14.9 | 16.4 | 16.6 |
| R2636 | Residential and Commercial | 2.8 | 6.2 | 7.8 | 12.6 | 14.8 | 16.3 | 16.5 |
| R2637 | Residential | 4.0 | 7.3 | 9.0 | 13.8 | 16.0 | 17.4 | 17.6 |
| R2638 | Residential | 3.9 | 7.2 | 8.9 | 13.7 | 15.9 | 17.3 | 17.5 |
| R2639 | Residential | 1.7 | 5.2 | 6.7 | 11.5 | 13.7 | 15.2 | 15.4 |
| R2640 | Residential | 2.7 | 6.1 | 7.7 | 12.5 | 14.7 | 16.2 | 16.4 |
| R2641 | Residential | 3.2 | 6.6 | 8.2 | 13.0 | 15.2 | 16.7 | 16.9 |
| R2691 | Residential | 0.7 | 4.4 | 5.8 | 10.6 | 12.8 | 14.4 | 14.6 |
| R2700 | Residential and Commercial | 0.6 | 4.2 | 5.6 | 10.4 | 12.6 | 14.2 | 14.4 |
| R2701 | Residential and Commercial | 0.8 | 4.5 | 5.9 | 10.7 | 12.9 | 14.5 | 14.7 |
| R2702 | Residential and Commercial | 1.8 | 5.4 | 6.9 | 11.7 | 13.9 | 15.4 | 15.6 |
| R2703 | Residential | 6.4 | 9.6 | 11.5 | 16.3 | 18.5 | 19.8 | 20.0 |
| R2787 | Residential | 3.6 | 7.0 | 8.7 | 13.4 | 15.6 | 17.1 | 17.3 |
| R2788 | Residential | 6.3 | 9.5 | 11.3 | 16.1 | 18.3 | 19.7 | 19.9 |
| R2789 | Residential and Commercial | 6.0 | 9.3 | 11.1 | 15.9 | 18.1 | 19.4 | 19.6 |
| R2790 | Residential | 4.8 | 8.1 | 9.9 | 14.7 | 16.9 | 18.2 | 18.4 |
| R2806 | Residential | 4.7 | 8.0 | 9.7 | 14.6 | 16.8 | 18.1 | 18.3 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|----------------------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R2819 | Residential | 0.6 | 4.2 | 5.6 | 10.4 | 12.6 | 14.2 | 14.4 |
| R2824 | Residential | 7.2 | 10.5 | 12.3 | 17.1 | 19.3 | 20.7 | 20.8 |
| R2830 | Residential | 3.6 | 7.0 | 8.6 | 13.4 | 15.6 | 17.1 | 17.3 |
| R2845 | Residential | 6.9 | 10.1 | 12.0 | 16.8 | 19.0 | 20.3 | 20.4 |
| R2852 | Residential and Commercial | 3.2 | 6.7 | 8.2 | 13.0 | 15.2 | 16.7 | 16.9 |
| R2854 | Residential | 2.1 | 5.7 | 7.2 | 12.0 | 14.2 | 15.7 | 15.9 |
| R2862 | Residential | 2.3 | 5.9 | 7.4 | 12.2 | 14.4 | 15.9 | 16.1 |
| R2867 | Residential and Commercial | 3.0 | 6.6 | 8.1 | 12.9 | 15.1 | 16.6 | 16.8 |
| R2880 | Residential | 2.8 | 6.3 | 7.8 | 12.6 | 14.8 | 16.3 | 16.5 |
| R2881 | Residential | 2.3 | 5.9 | 7.4 | 12.2 | 14.4 | 15.9 | 16.1 |
| R2882 | Residential | 2.4 | 6.0 | 7.5 | 12.3 | 14.5 | 16.0 | 16.2 |
| R2883 | Residential and Commercial | 2.0 | 5.5 | 7.0 | 11.8 | 14.0 | 15.6 | 15.8 |
| R2884 | Residential | 1.1 | 4.8 | 6.2 | 11.0 | 13.2 | 14.8 | 15.0 |
| R2885 | Commercial | 3.2 | 6.7 | 8.2 | 13.0 | 15.2 | 16.7 | 16.9 |
| R2886 | Residential | 3.2 | 6.7 | 8.3 | 13.1 | 15.3 | 16.8 | 17.0 |
| R2891 | Residential | 0.6 | 4.3 | 5.7 | 10.5 | 12.7 | 14.3 | 14.5 |
| R2906 | Residential | 2.5 | 6.0 | 7.5 | 12.3 | 14.5 | 16.1 | 16.3 |
| R2911 | Residential | 0.6 | 4.3 | 5.6 | 10.4 | 12.6 | 14.2 | 14.5 |
| R2935 | Residential | 0.0 | 3.7 | 5.1 | 9.9 | 12.1 | 13.7 | 13.9 |
| R2936 | Residential | 0.7 | 4.4 | 5.7 | 10.5 | 12.7 | 14.4 | 14.6 |
| R2937 | Residential and Commercial | 0.6 | 4.3 | 5.6 | 10.4 | 12.6 | 14.2 | 14.5 |
| R2938 | Residential and Commercial | 0.0 | 3.7 | 5.0 | 9.8 | 12.0 | 13.7 | 13.9 |
| R2969 | Residential | 1.0 | 4.7 | 6.1 | 10.9 | 13.1 | 14.6 | 14.8 |
| R2970 | Residential | 1.6 | 5.3 | 6.7 | 11.5 | 13.7 | 15.3 | 15.5 |
| R2971 | Residential | 1.2 | 4.8 | 6.2 | 11.0 | 13.2 | 14.8 | 15.0 |
| R2972 | Residential | 1.2 | 4.9 | 6.2 | 11.1 | 13.3 | 14.8 | 15.1 |
| R2978 | Residential and Commercial | 2.7 | 6.2 | 7.7 | 12.5 | 14.7 | 16.3 | 16.5 |
| R2979 | Residential | 2.9 | 6.3 | 7.9 | 12.7 | 14.9 | 16.4 | 16.6 |
| R2981 | Residential | 2.0 | 5.6 | 7.1 | 11.9 | 14.1 | 15.6 | 15.8 |
| R2982 | Residential | 2.3 | 5.9 | 7.4 | 12.2 | 14.4 | 15.9 | 16.1 |

| Receptor ID | Description | Predicted Noise Level (dB L _{A90}) at Standardised 10m Height Wind Speeds (m/s) | | | | | | |
|-------------|-------------|---|------|------|------|------|------|-------------|
| | | 2 | 3 | 4 | 5 | 6 | 7 | 8 – cut-out |
| R2983 | Residential | 2.7 | 6.3 | 7.8 | 12.6 | 14.8 | 16.3 | 16.5 |
| R2984 | Residential | 0.2 | 3.9 | 5.2 | 10.0 | 12.2 | 13.9 | 14.1 |
| R2986 | Residential | 3.3 | 6.8 | 8.3 | 13.1 | 15.4 | 16.8 | 17.0 |
| R2988 | Unknown | 24.1 | 26.4 | 29.7 | 34.5 | 36.7 | 37.7 | 37.8 |
| R2989 | Unknown | 19.2 | 21.5 | 24.5 | 29.3 | 31.5 | 32.5 | 32.6 |
| R2991 | Residential | 19.4 | 21.7 | 24.8 | 29.6 | 31.8 | 32.8 | 32.9 |
| R2992 | Residential | 19.4 | 21.7 | 24.8 | 29.6 | 31.8 | 32.7 | 32.9 |
| R2993 | Residential | 19.5 | 21.9 | 24.8 | 29.6 | 31.8 | 32.8 | 33.0 |
| R2994 | Residential | 22.6 | 24.8 | 27.9 | 32.7 | 34.9 | 35.9 | 36.1 |
| R2995 | Residential | 23.0 | 25.3 | 28.4 | 33.2 | 35.4 | 36.4 | 36.6 |